



10/518284

c o j c

Docket No.: XENOCs 3.3-002  
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:  
Hoghoj et al.

Patent No.: 7,430,277

Issued: September 30, 2008

For: OPTICAL DEVICE FOR X-RAY  
APPLICATIONS

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Certificate

NOV 10 2008

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Dear Sir:


Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent.

The corrections indicated should be made as the application originally filed does not contain such errors. There is no requirement for payment of a fee since the errors were made by the Patent Office.

We look forward to early return of the Certificate of Correction duly certified.

Dated: November 3, 2008

Respectfully submitted,

By   
Andrew T. Zidel  
Registration No.: 45,256  
LERNER, DAVID, LITTENBERG,  
KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090  
(908) 654-5000

Attorney for Applicant

NOV 20 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,430,277  
APPLICATION NO. : 10/518,284  
ISSUE DATE : September 30, 2008  
INVENTOR(S) : Peter Hoghoj, Aurélien Dariel, and Sergio Rodrigues

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Specification Col. 7, Line 21, "Kaor", should read - - K $\alpha$  or- -.

Specification Col. 9, Line 17, after "divergence", "a" should read - -  $\alpha$  - -.

Specification Col. 9, Line 26, after "divergence", "a" should read - -  $\alpha$  - -.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Andrew T. Zidel

LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP

600 South Avenue West

Westfield, New Jersey 07090

NOV 2<sup>1</sup> 2008